

L	ts	Coomah Moset		
Number		Search Text	DB	Time stamp
134 59	94	((("604") or ("606") or ("623")).CLAS.)	USPAT;	2004/02/20
		and (transition\$4) with (member tub\$4	US-PGPUB;	11:05
		sheath shaft) with (flex\$7 rigid\$3	EPO; JPO;	
		stiff\$4)	DERWENT;	
	_	/# CO O O C C O !! \	IBM_TDB	2004/02/22
-	2	("6203558").PN.	USPAT;	2004/02/19
			US-PGPUB;	10:29
	1		EPO; JPO;	
			DERWENT;	
400	87	((606/191,192,194,195) or	IBM_TDB USPAT;	2004/02/19
400	٥/	(623/1.11,1.12)).CCLS.	US-PGPUB;	11:06
		(023/1.11/1.12//.0013.	EPO; JPO;	
			DERWENT;	
			IBM TDB	į
33	63	(((606/191,192,194,195) or	USPAT;	2004/02/19
	-	(623/1.11,1.12)).CCLS.) and balloon	US-PGPUB;	11:06
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
- 16	60	((((606/191,192,194,195) or	USPAT;	2004/02/19
		(623/1.11,1.12)).CCLS.) and balloon) and	US-PGPUB;	11:07
		(stiff\$7 hard\$7)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
- 1	51	((((606/191,192,194,195) or	USPAT;	2004/02/19
		(623/1.11,1.12)).CCLS.) and balloon) and	US-PGPUB;	11:10
		(stiff\$7 hard\$7) same transition\$4	EPO; JPO;	
			DERWENT;	
	<u></u>	//////////// 102 104 105\	IBM_TDB	2004/02/10
-	63	((((606/191,192,194,195) or	USPAT;	2004/02/19
	İ	(623/1.11,1.12)).CCLS.) and balloon) and (tub\$4 shaft rod) with (stiff\$7 hard\$7)	US-PGPUB; EPO; JPO;	11:10
		same transition\$4	DERWENT;	
		Dame Clausteronys	IBM TDB	
120	11	balloon adj catheter	USPAT;	2004/02/19
		,	US-PGPUB;	13:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- 3	36	(balloon adj catheter) and (stiff\$4	USPAT; .	2004/02/19
		rigid\$3) with transition\$3	US-PGPUB;	13:29
			EPO; JPO;	
			DERWENT;	
	ا , ,	0. 33	IBM_TDB	2004/02/10
- 1	.64	(balloon adj catheter) and (stiff\$4	USPAT;	2004/02/19
		rigid\$3) with transition\$3 and	US-PGPUB;	13:33
		transition\$4 with (tub\$4 member)	EPO; JPO; DERWENT;	
			IBM TDB	
_ 1	.06	(balloon adj catheter) and (stiff\$4	USPAT;	2004/02/19
	.00	rigid\$3) with transition\$3 same	US-PGPUB;	14:04
		transition\$4 with (tub\$4 member)	EPO; JPO;	
		TENISTOTORY TOTAL (CONT. MCMOCT)	DERWENT;	
			IBM TDB	
- 13	50	(balloon adj catheter) and (reinforc\$6	USPAT;	2004/02/19
	-	strain) with (member tub\$4 shaft)	US-PGPUB;	14:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- 5	96	(balloon adj catheter) and (reinforc\$6	USPAT;	2004/02/19
		strain) with (member tub\$4 shaft) same	US-PGPUB;	15:58
		(stiff\$4 flex\$7 rigid\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

4	

-	509		USPAT;	2004/02/19
		chi.in. mirizzi.in. same michael.in.	US-PGPUB;	14:24
		brown.in. same peter.in. pfaff.in. same	EPO; JPO;	
		christopher.in. cryer.in. same brett.in.	DERWENT;	
		pyatt.in. same misty.in.	IBM TDB	
_	46	(hancock.in. same david.in. david.in.	USPAT;	2004/02/19
		same chi.in. mirizzi.in. same michael.in.	US-PGPUB;	15:28
		brown.in. same peter.in. pfaff.in. same	EPO; JPO;	
		christopher.in. cryer.in. same brett.in.	DERWENT;	
		pyatt.in. same misty.in.) and catheter	IBM TDB	
_	2		USPAT;	2004/02/19
	_	(0,02002 ,::	US-PGPUB;	15:28
			EPO; JPO;	10120
			DERWENT;	
			IBM TDB	
	439	(balloon adj catheter) and (transition\$4	USPAT;	2004/02/19
_	439	strain) with (member tub\$4 shaft) same	US-PGPUB;	16:00
		(stiff\$4 flex\$7 rigid\$4)	EPO; JPO;	1 10.00
		(Still54 llex5/ ligid54)	DERWENT;	
		////COAN ///COAN ///COAN CTRO	IBM_TDB	2004/02/10
-	109641	(("604") or ("606") or ("623")).CLAS.	USPAT;	2004/02/19
ĺ			US-PGPUB;	16:01
			EPO; JPO;	i l
			DERWENT;	
			IBM_TDB	
-	1643	((("604") or ("606") or ("623")).CLAS.)	USPAT;	2004/02/20
		and (transition\$4 reinforc\$4 strain) with	US-PGPUB;	11:05
		(member tub\$4 sheath shaft) with (flex\$7	EPO; JPO;	
		rigid\$3 stiff\$4)	DERWENT;	
			IBM_TDB	
-	52	(((("604") or ("606") or ("623")).CLAS.)	USPAT;	2004/02/19
		and (transition\$4 reinforc\$4 strain) with	US-PGPUB;	16:04
		(member tub\$4 sheath shaft) with (flex\$7	EPO; JPO;	
		rigid\$3 stiff\$4)) and (transition\$4	DERWENT;	
		reinforc\$4 strain) with radio\$1paque	IBM_TDB]
-	76	(((("604") or ("606") or ("623")).CLAS.)	USPAT;	2004/02/20
		and (transition\$4 reinforc\$4 strain) with	US-PGPUB;	11:04
		(member tub\$4 sheath shaft) with (flex\$7	EPO; JPO;	
		rigid\$3 stiff\$4)) and (transition\$4	DERWENT;	
		reinforc\$4 strain) with (radio\$1paque	IBM TDB	
		marker)	_	
			<u> </u>	